

# Quick Reference Table

## Indeterminate Saladette Tomato

Variety	Maturity**	Market	Fruit weight (g)*	Leaf cover*	Seasonable adaptability	Fruit shape #	Disease reaction##							Comments
							Vd1	Fol 1	Fol 2	Fol 3	TSWV	Mi	ToMV	
<b>Ravena*</b> (Experimental)	Medium	Fresh market and pre-packing	120-170	Medium	Year-round	B	HR	HR	HR	HR	HR	HR	HR	For production on the open field and under protection, very vigorous plant with good disease package

\* Characteristics given are affected by production methods such as soil type, nutrition, planting population, planting date and climatic conditions. Please read disclaimer.

 WARNING: VARIETY PROTECTED UNDER **PLANT BREEDERS RIGHTS**. UNAUTHORIZED MULTIPLICATION AND/OR MARKETING OF SEED PROHIBITED.

\*\* **Maturity key (days after transplant):** Early: 80 – 90; Medium: 85 – 100; Medium-late: 90 – 110; Late: 110+

**Disclaimer:** This information is based on our observations and/or information from other sources. As crop performance depends on the interaction between the genetic potential of the seed, its physiological characteristics, and the environment, including management, we give no warranty express or implied, for the performance of crops relative to the information given nor do we accept any liability for any loss, direct or consequential, that may arise from whatsoever cause. Please read the Sakata Seed Southern Africa (Pty) Ltd Conditions of Sale before ordering seed.

**Resistance:** is the ability of a plant variety to restrict the growth and development of a specified pest or pathogen and/or the damage they cause when compared to susceptible plant varieties under similar environmental conditions and pest or pathogen pressure. Resistant varieties may exhibit some disease symptoms or damage under heavy pest or pathogen pressure (HR = High resistance, IR = Intermediate resistance).

\* **Experimental:** This variety does not appear on the current South African Variety list, but has been submitted for registration.

**Recent version:** Kindly contact Sakata or Area Representative for the most recent version of this Technical Bulletin.

# Quick Reference Table

## Indeterminate Saladette Tomato

### \*\*\*\* Fruit shape key:



**DG** – Deep globe




**G** – Globe



**DO** – Deep oblate



**O** – Oblate



**P** – Pear



**B** – Blocky



**E** – Elongated

### # Disease reaction key:

**IR:** Intermediate resistance      **HR:** High resistance

Abbreviation	Common disease name	Scientific disease name
Vd1	Verticillium wilt race 1	<i>Verticillium dahliae</i>
Fol1.2	Fusarium wilt race 1 and/or 2	<i>Fusarium oxysporum f.sp. lycopersici</i>
ToMV	Tomato mosaic	<i>Tomato mosaic virus</i>
Mi	Root-knot	<i>Meloidogyne incognita</i>
TSWV	Tomato spotted wilt	Tomato spotted wilt virus

**Disclaimer:** This information is based on our observations and/or information from other sources. As crop performance depends on the interaction between the genetic potential of the seed, its physiological characteristics, and the environment, including management, we give no warranty express or implied, for the performance of crops relative to the information given nor do we accept any liability for any loss, direct or consequential, that may arise from whatsoever cause. Please read the Sakata Seed Southern Africa (Pty) Ltd Conditions of Sale before ordering seed.

**Resistance:** is the ability of a plant variety to restrict the growth and development of a specified pest or pathogen and/or the damage they cause when compared to susceptible plant varieties under similar environmental conditions and pest or pathogen pressure. Resistant varieties may exhibit some disease symptoms or damage under heavy pest or pathogen pressure (HR = High resistance, IR = Intermediate resistance).

\* **Experimental:** This variety does not appear on the current South African Variety list, but has been submitted for registration.

**Recent version:** Kindly contact Sakata or Area Representative for the most recent version of this Technical Bulletin.