


# Quick Reference Table Novelty Tomato

| Variety                                | Fruit colour* | Vigour* | Fruit weight (g)* | Picking           | Firmness & shelf life | Fruit shape** | Disease reaction** |      |    |          |          |       |         | Comments   |
|--|---------------|---------|-------------------|-------------------|-----------------------|---------------|--------------------|------|----|----------|----------|-------|---------|--|
|  |               |         |                   |                   |                       |               | Fol                | Forl | Ss | Ff (A-E) | ToMV     | TYLCV | N       |  |
| <b>Tinker</b><br><small>F.B.R.</small> | Intense red   | Strong  | 12 – 18           | Single            | Excellent             | B             | HR                 |      | HR | HR       | HR (0-2) |       |         | The choice of leading retail stores and farmers. Suitable for open field and protected production. Outstanding flavour and yield potential |
| <b>Robin</b><br><small>F.B.R.</small>  | Intense red   | Strong  | 15 – 20           | Single            | Excellent             | G             | HR (1-2)           |      | IR | HR       | HR (0-2) | IR    |         | Very good cherry variety with good yields and quality. Not prone to cracking   |
| <b>Ruby</b><br><small>F.B.R.</small>   | Intense red   | Strong  | 12 – 18           | Single            | Excellent             | B             | HR (1-2)           |      | HR | HR       | HR (0-2) | IR    |         | Good variety, not prone to overset, with good uniformity in size and shape.  |
| <b>Lyric</b><br><small>F.B.R.</small>  | Orange        | Strong  | 18 – 25           | Single or cluster | Excellent             | G             | HR (1)             | HR   |    | HR       | HR (0-1) |       | IR (Mi) | Excellent flavour, good potential for both loose and cluster. Uniform deep colour.   |

\* Characteristics given are affected by production methods such as soil type, nutrition, planting population, planting date and climatic conditions. Please read disclaimer.

F.B.R. WARNING: VARIETY PROTECTED UNDER **PLANT BREEDERS RIGHTS**. UNAUTHORIZED MULTIPLICATION AND/OR MARKETING OF SEED PROHIBITED.

### \*\*\*\* Fruit shape key:



**Disclaimer:** This information is based on our observations and/or information from other sources. As crop performance depends on the interaction between the genetic potential of the seed, its physiological characteristics, and the environment, including management, we give no warranty express or implied, for the performance of crops relative to the information given nor do we accept any liability for any loss, direct or consequential, that may arise from whatsoever cause. Please read the Sakata Seed Southern Africa (Pty) Ltd Conditions of Sale before ordering seed.

**Resistance:** is the ability of a plant variety to restrict the growth and development of a specified pest or pathogen and/or the damage they cause when compared to susceptible plant varieties under similar environmental conditions and pest or pathogen pressure. Resistant varieties may exhibit some disease symptoms or damage under heavy pest or pathogen pressure (HR = High resistance, IR = Intermediate resistance).

\* **Experimental:** This variety does not appear on the current South African Variety list, but has been submitted for registration.

**Recent version:** Kindly contact Sakata or Area Representative for the most recent version of this Technical Bulletin.

# Quick Reference Table

## Novelty Tomato

### # Disease reaction key:

**IR:** Intermediate resistance    **HR:** High resistance

| Abbreviation | Common disease name      | Pathogen name                                |
|--------------|--------------------------|--|
| Vd: 1        | Verticillium wilt race 1 | <i>Verticillium dahliae</i>                  |
| Ff           | Leaf mold                | <i>Fulvia fulva (ex Cladosporium fulvum)</i> |
| Fol: 1       | Fusarium wilt race 1     | <i>Fusarium oxysporum f. sp. lycopersici</i> |
| Ss           | Grey leaf spot           | <i>Stemphylium solani</i>                    |
| ToMV         | Tomato mosaic            | <i>Tomato mosaic virus</i>                   |
| TYLCV        | Tomato yellow leaf curl  | <i>Tomato yellow leaf curl virus</i>         |
| Ma           | Root-knot                | <i>Meloidogyne arenaria</i>                  |
| Mi           | Root-knot                | <i>Meloidogyne incognita</i>                 |
| Mj           | Root-knot                | <i>Meloidogyne javanica</i>                  |

**Disclaimer:** This information is based on our observations and/or information from other sources. As crop performance depends on the interaction between the genetic potential of the seed, its physiological characteristics, and the environment, including management, we give no warranty express or implied, for the performance of crops relative to the information given nor do we accept any liability for any loss, direct or consequential, that may arise from whatsoever cause. Please read the Sakata Seed Southern Africa (Pty) Ltd Conditions of Sale before ordering seed.

**Resistance:** is the ability of a plant variety to restrict the growth and development of a specified pest or pathogen and/or the damage they cause when compared to susceptible plant varieties under similar environmental conditions and pest or pathogen pressure. Resistant varieties may exhibit some disease symptoms or damage under heavy pest or pathogen pressure (HR = High resistance, IR = Intermediate resistance).

\* **Experimental:** This variety does not appear on the current South African Variety list, but has been submitted for registration.

**Recent version:** Kindly contact Sakata or Area Representative for the most recent version of this Technical Bulletin.