



OUTSTANDING QUALITIES

- ◆ SLOW BOLTING
- ◆ EARLY MATURITY
- ◆ VIGOROUS PLANTS
- ◆ VERY WIDELY ADAPTED
- ◆ EXCELLENT UNIFORMITY

Joi Choi is a white stemmed, early maturing Pak Choi. The uniformity in growth and maturity is very good. **Joi Choi** is widely adapted, performing very well under cool and warm growing conditions. **Joi Choi** has a slow bolting habit and is one of the Pak Choi varieties in the market that has the best tolerance to cold conditions. It maintains a fresh green colour in winter. Plants can be harvested at an immature stage, however, cropping at maturity is most common. Petioles are white, tender, soft and very tasty. **Joi Choi** is ideal for salads and general cooking purposes.

SPECIAL VARIETAL REQUIREMENTS

- None

CHARACTERISTIC	JOI CHOI
KIND	Pak Choi (<i>Brassica chinensis var parachinensis</i>)
MATURITY	Early, around 35 - 50 days from sowing
FLAVOUR	Excellent
PLANT SIZE	Small - medium
PLANT HABITAT	Erect
PLANT WEIGHT	150 - 250 g
EXTERIOR COLOUR	White
INTERIOR COLOUR	White
LEAF TEXTURE	Moderately thick, soft and tender
BOLTING REACTION	Slow bolting
DISEASE REACTION	-
FIELD HOLDING	Normal
YIELD POTENTIAL	Very good
SUGGESTED SPACING	3 - 5 kg ha, 0.75 - 1.2 million seeds per ha
USE	Salads and general cooking purposes

* Characteristics given are affected by production methods such as soil type, nutrition, planting population, planting date and climatic conditions. Please read disclaimer.

Disclaimer: This information is based on our observations and/or information from other sources. As crop performance depends on the interaction between the genetic potential of the seed, its physiological characteristics, and the environment, including management, we give no warranty express or implied, for the performance of crops relative to the information given nor do we accept any liability for any loss, direct or consequential, that may arise from whatsoever cause. Please read the Sakata Seed Southern Africa (Pty) Ltd Conditions of Sale before ordering seed.

Resistance: is the ability of a plant variety to restrict the growth and development of a specified pest or pathogen and/or the damage they cause when compared to susceptible plant varieties under similar environmental conditions and pest or pathogen pressure. Resistant varieties may exhibit some disease symptoms or damage under heavy pest or pathogen pressure (HR = High resistance, IR = Intermediate resistance).

* **Experimental:** This variety does not appear on the current South African Variety list, but has been submitted for registration.

Recent version: Kindly contact Sakata or Area Representative for the most recent version of this Technical Bulletin.

