

Variety	Season	Maturity* (days from transplant)	Head shape**	Head size*	Head colour*	Bead size*	Market segment	Comment
<b>Ares</b> 	Spring, summer and autumn	58 - 68 (Fast)	Dome	Medium to large	Dark blue-green	Small to medium	Bulk packaging & pre-pack	Exceptionally high yield potential of excellent quality and extremely versatile
<b>Naxos</b>	Warm	68 - 80 (Medium)	Dome	Large	Dark blue-green	Small	Bulk packaging, pre-pack & processing	Excellent heat tolerance, early maturing, very adaptable to different climatic zones
<b>Parthenon</b> 	Cool	85 - 95 (Medium)	High dome	Large	Dark blue-green	Very small	Bulk packaging, pre-pack & processing	Exceptionally high yield potential of excellent quality
<b>Triton</b> 	Spring, winter and autumn	80 - 95 (Medium)	Dome	Large	Bright green	Small to medium	Processing and pre-pack	Exceptionally high quality heads resulting in very high yield potential

\* Characteristics given are affected by production methods such as soil type, nutrition, planting population, planting date and climatic conditions. Please read disclaimer.

 WARNING: VARIETY PROTECTED UNDER **PLANT BREEDERS RIGHTS**. UNAUTHORIZED MULTIPLICATION AND/OR MARKETING OF SEED PROHIBITED.

**\*\* Head shape key:**



High dome



Dome



Semi-dome

**Disclaimer:** This information is based on our observations and/or information from other sources. As crop performance depends on the interaction between the genetic potential of the seed, its physiological characteristics, and the environment, including management, we give no warranty express or implied, for the performance of crops relative to the information given nor do we accept any liability for any loss, direct or consequential, that may arise from whatsoever cause. Please read the Sakata Seed Southern Africa (Pty) Ltd Conditions of Sale before ordering seed.

**Resistance:** is the ability of a plant variety to restrict the growth and development of a specified pest or pathogen and/or the damage they cause when compared to susceptible plant varieties under similar environmental conditions and pest or pathogen pressure. Resistant varieties may exhibit some disease symptoms or damage under heavy pest or pathogen pressure (HR = High resistance, IR = Intermediate resistance).

\* **Experimental:** This variety does not appear on the current South African Variety list, but has been submitted for registration.

**Recent version:** Kindly contact Sakata or Area Representative for the most recent version of this Technical Bulletin.

