

Quick Reference Table Okra

Variety	Maturity * (days after sowing)	Fruit* dimensions	Fruit shape*	Spine*	Exterior colour*	Flavour*	Plant vigour*	Bearing habit
Clemson Spineless (Open pollinated)	Very early (55 - 65)	Usually harvested between 50 - 100 x 10 - 20mm	Pentagonal tapered	Almost spine free	Bright, medium green	Good	High	Upright
Musanda (F1 Hybrid)	Very early (40 – 45)	Usually harvested between 100 - 150 x 15 - 20 mm	Pentagonal, tapered	Spineless	Dark green	Good	Good, with short internodes	Upright
Pelo (F1 Hybrid)	Very early (40 – 45)	Usually harvested between 100 - 140 x 15 - 20 mm	Pentagonal, tapered	Spineless	Dark red	Good	Good, with short internodes	Upright

^{*} Characteristics given are affected by production methods such as soil type, nutrition, planting population, planting date and climatic conditions. Please read disclaimer.

Disclaimer: This information is based on our observations and/or information from other sources. As crop performance depends on the interaction between the genetic potential of the seed, its physiological characteristics, and the environment, including management, we give no warranty express or implied, for the performance of crops relative to the information given nor do we accept any liability for any loss, direct or consequential, that may arise from whatsoever cause. Please read the Sakata Seed Southern Africa (Pty) Ltd Conditions of Sale

Resistance: is the ability of a plant variety to restrict the growth and development of a specified pest or pathogen and/or the damage they cause when compared to susceptible plant varieties under similar environmental conditions and pest or pathogen pressure. Resistant varieties may exhibit some disease symptoms or damage under heavy pest or pathogen pressure (HR = High resistance, IR = Intermediate resistance).

* Experimental: This variety does not appear on the current South African Variety list, but has been submitted for registration.

Recent version: Kindly contact Sakata or Area Representative for the most recent version of this Technical Bulletin.















Tel: +27 11 548 2800 Fax: +27 11 548 2820 e-mail: info.saf@sakata.eu website: www.sakata.co.za